


CN-1 PinOut		CN-2 PinOut	
1	Dummy	1	NC
2	Y30	2	NC
3	Y29	3	NC
4	Y28	4	NC
5	Y27	5	NC
6	Y26	6	NC
7	Y25	7	NC
8	Y24	8	NC
9	Y23	9	NC
10	Y22	10	NC
11	Y21	11	NC
12	Y20	12	Dummy
13	Y19	13	X4.0
14	Y18	14	X3.9
15	Y17	15	X3.8
16	Y16	16	X3.7
17	Y15	17	X3.6
18	Y14	18	X3.5
19	Y13	19	X3.4
20	Y12	20	X3.3
21	Y11	21	X3.2
22	Y10	22	X3.1
23	Y09	23	X3.0
24	Y08	24	X2.9
25	Y07	25	X2.8
26	Y06	26	X2.7
27	Y05	27	X2.6
28	Y04	28	X2.5
29	Y03	29	X2.4
30	Y02	30	X2.3
31	Y01	31	X2.2
32	Y00	32	X2.1
33	Dummy	33	X2.0
34	NC	34	X1.9
35	NC	35	X1.8
36	NC	36	X1.7
37	NC	37	X1.6
38	NC	38	X1.5
39	NC	39	X1.4
40	NC	40	X1.3
		41	X1.2
		42	X1.1
		43	X1.0
		44	X0.9
		45	X0.8
		46	X0.7
		47	X0.6
		48	X0.5
		49	X0.4
		50	X0.3
		51	X0.2
		52	X0.1
		53	X0.0
		54	Dummy
		55	NC

REMARKS	
FPC PATTERN PITCH	0.5mm
FPC PATTERN WIDTH	Cu 0.2-0.3mm
	- mm
CIRCUIT PATTERN WIDTH	Ag 0.075mm
	- mm
O TOLERANCE=±0.3mm	

ITEM	MATERIAL	REMARKS
1	TOP ITO GLASS	t=1.1mm
2	BOTTOM ITO GLASS	t=1.1mm
3	FPC	POLYIMIDE 12.5μm Electrolytic copper foil 0.025mm
4	REINFORCEMENT FILM	POLYIMIDE 25μm
5	STIFFENER	POLYIMIDE 225μm
6	ADHESIVE SHEET	150μm
7	PROTECTION TAPE	POLYESTER 25μm



TOLERANCE=±0.3mm
EXCEPT WHERE INDICATED
UNIT=mm

PART No.	DATE
DUS-A121A060B	Jan/28/2021
TYPE	DMC Co., Ltd.
Projected Capacitive DIMENSIONAL DRAWING	