


CN-1 PinOut	
1	Dummy
2	Y22
3	Y21
4	Y20
5	Y19
6	Y18
7	Y17
8	Y16
9	Y15
10	Y14
11	Y13
12	Y12
13	Y11
14	Y10
15	Y09
16	Y08
17	Y07
18	Y06
19	Y05
20	Y04
21	Y03
22	Y02
23	Y01
24	Y00
25	Dummy
26	NC

CN-2 PinOut	
1	NC
2	Dummy
3	X36
4	X35
5	X34
6	X33
7	X32
8	X31
9	X30
10	X29
11	X28
12	X27
13	X26
14	X25
15	X24
16	X23
17	X22
18	X21
19	X20
20	X19
21	X18
22	X17
23	X16
24	X15
25	X14
26	X13
27	X12
28	X11
29	X10
30	X09
31	X08
32	X07
33	X06
34	X05
35	X04
36	X03
37	X02
38	X01
39	X00
40	Dummy

REMARKS	
FPC PATTERN PITCH	0.5mm
FPC PATTERN WIDTH	0.2-0.3mm
CIRCUIT PATTERN WIDTH	0.1mm
○ TOLERANCE=±0.3mm	

ITEM	MATERIAL	REMARKS
1 TOP ITO FILM	t=0.1mm	
2 BOTTOM ITO FILM	t=0.1mm	
3 FPC	POLYIMIDE 12.5 μ m	Electroplated copper film on base
4 REINFORCEMENT FILM	POLYIMIDE 25 μ m	
5 STIFFENER SHEET	POLYIMIDE 225 μ m	
6 ADHESIVE SHEET	OCA 50 μ m	
7 ADHESIVE SHEET A	OCA 50 μ m	
8 SEPARATE FILM		
9 SEPARATE FILM		



TOLERANCE=±0.3mm
 EXCEPT WHERE INDICATED
 UNIT=mm

PART No.	DATE
DUS-XF101WA060A	Jan/29/2021
TYPE	DMC Co., Ltd.
Projected Capacitive	
DIMENSIONAL DRAWING	